

QL W


371

D39

1888

Invert.

Zool.






17/5  
QL



371

D39

1888

Invert. Royal Society  of Victoria.  
Zool.

AN ALPHABETICAL LIST OF THE GENERA AND  
SPECIES OF SPONGES DESCRIBED BY H. J.  
CARTER, Esq., F.R.S., TOGETHER WITH A  
NUMBER OF HIS MORE IMPORTANT REFER-  
ENCES TO THOSE OF OTHER AUTHORS,  
WITH AN INTRODUCTORY NOTICE.



By ARTHUR DENDY, M. Sc., F.L.S.

Demonstrator and Assistant Lecturer in Biology in the University  
of Melbourne.





AN ALPHABETICAL LIST OF THE GENERA AND SPECIES OF SPONGES DESCRIBED BY H. J. CARTER, Esq., F.R.S., TOGETHER WITH A NUMBER OF HIS MORE IMPORTANT REFERENCES TO THOSE OF OTHER AUTHORS, WITH AN INTRODUCTORY NOTICE.

By ARTHUR DENDY, M. Sc., F.L.S.

Demonstrator and Assistant Lecturer in Biology in the University of Melbourne.

[Read June 14, 1888].

I.—INTRODUCTORY NOTICE.

Mr. Carter is, and has for a long time, been justly recognised as the oldest and most experienced of all those who have made a special study of the sub-kingdom *Porifera*, or Sponges.

He produced his first paper on the subject, entitled "Notes on the Species, Structure, and Animality of the Freshwater Sponges in the Tanks of Bombay," whilst stationed at Bombay as a surgeon in the army. This paper was published in the "Transactions of the Bombay Medical and Physical Society" of 1847 (No. 8), and was reprinted in the "Annals and Magazine of Natural History (Series 2, vol. 1) in the following year. The last paper on the subject which appeared from his pen, on a collection of sponges from the Mergui Archipelago, was published only last year in the *Journal of the Linnean Society of London*, and in the same year he published four other papers in the "Annals and Magazine of Natural History."

In the forty-one years from 1847 to 1887 (inclusive), Mr. Carter has published no less than 125 papers on sponges, a far greater number than any other author. These papers treat of nearly 800 distinct species of sponges, arranged under over 200 distinct generic names. By far the greater number of these 800 species are described by Mr. Carter for the first time.

Although both his first and last papers were published elsewhere, it was a very rare exception for Mr. Carter to publish anywhere except in the "Annals and Magazine of

Natural History," which renders the study of his papers, and the production of such a list as the present, a far easier task than it would otherwise have been.

It is much to be regretted, however, that Mr. Carter has never been able to collect his numerous observations and bring them together in a more coherent form. As it is, they remain scattered about in a state of almost hopeless confusion through the 125 papers above mentioned, and without the assistance of some such list as the present, it is difficult to gain a correct idea of his work.

The greater portion by far of Mr. Carter's work is purely systematic, and consists in the description of new species; but he has also written on the Anatomy and Embryology of the group. He commenced, as we have seen, in 1847, with the study of the Freshwater Sponges, and in the series of papers which he published on this subject, there are some extremely important observations which have hardly attracted as much attention as they deserve. This might be said of a good many of Mr. Carter's observations, and it is possibly due to the fact that they are mostly more or less buried in a mass of purely systematic description, which none but a specialist would ever think of reading. Mr. Carter is a wonderfully careful and accurate observer, and considering the early date at which his observations on *Spongilla* were made, when the study of sponges was practically virgin soil, his results are most remarkable.

Between the years 1849 and 1868 only two papers appeared in his name, but from 1868 onwards, until the middle of 1887, not a year has passed in which he has not published something about sponges. The year 1874 was marked by special activity, for in this year he commenced the publication of his "Descriptions and Figures of Deep Sea Sponges and their Spicules from the Atlantic Ocean, dredged up on board H.M.S. *Porcupine*,"\* and in the same year he published two important papers on the Development of Marine Sponges.† The *Porcupine* reports are decidedly the most valuable of Mr. Carter's systematic papers, and the papers on the Development of Marine Sponges are undoubtedly the most important of his more purely biological works.

The progress of the work on the *Porcupine* sponges was interrupted by the publication, in 1875, of the "Notes

\* A. M. N. H. Ser. 4. Vol. xiv, p. 207, *et seq.*

† A. M. N. H. Ser. 4. Vol. xiv, pp. 321, 389.



Introductory to the Study and Classification of the Spongida.”\* The publication of these notes appears to have been suggested to Mr. Carter by the obvious necessity of having some definite system upon which to arrange his numerous species. The plan of the “Notes” was a comprehensive one. They were to consist of three parts, and were to form a kind of general guide to the whole subject, which was rapidly becoming more and more complex. The three parts were to be—(1) Anatomy and Physiology; (2) Proposed Classification of the Spongida; (3) A further Division into Sub-families, Genera and Species, so far as our knowledge extends.

The first part was a general account of the anatomy and physiology of sponges, including those structures, viz., the skeletal elements, upon which the subsequent classification was based. The second part contains Mr. Carter’s scheme of classification, which is sufficiently well known to all spongologists, but which has never obtained general acceptance. He himself, however, has adhered to it systematically, and its appearance at this stage was therefore of great importance to the student of his papers. The promised third part, which should have been a kind of coping stone to the whole structure, most unfortunately never appeared. After the publication of the second part, Mr. Carter returned to his work on the *Porcupine* Sponges, the descriptions of which he completed in 1876.

Between 1876 and 1885 there appeared a long series of miscellaneous papers on sponges, which need not here be specially noticed. In 1885, however, an event took place of special interest to Victorian Naturalists, namely, the appearance of Mr. Carter’s first paper† on the splendid series of sponges from the neighbourhood of Port Phillip Heads and Western Port, collected and sent to England by Mr. J. Bracebridge Wilson, M.A. Henceforth, Mr. Carter devoted almost all his energy to working out and describing these sponges, and he published a series of fifteen papers upon them in the *Annals and Magazine of Natural History*. In these fifteen papers he records 211 species and varieties, nearly all of which were new to science and all collected by Mr. Bracebridge Wilson.

After the conclusion of this laborious work, in 1887, Mr. Carter published two noteworthy papers of a more strictly

---

\* A. M. N. H. Ser. 4. Vol. xvi, pp. 1, 126.

† A. M. N. H. Ser. 5. Vol. xv, p. 107.

biological character—the first “On the Position of the Ampullaceous Sac and the Function of the Water Canal-System in the Spongida;”\* and the second, “On the Reproductive Elements of the Spongida.”† The latter was his last sponge paper in the *Annals and Magazine of Natural History*, in which he had now been publishing for 41 years. It was succeeded by his report on the sponges of the Mergui Archipelago, in the *Journal of the Linnean Society of London*,‡ which, however, Mr. Carter informs me was written so far back as 1883.

As Mr. Carter has at length been obliged by the state of his health to cease working at his favourite subject, and as we shall probably have no more papers on sponges from this indefatigable and able naturalist, it has occurred to me that I might perhaps benefit other naturalists as well as myself by the publication of a complete list of all the genera and species which he has described. These are arranged in alphabetical order, with full references to the places where the descriptions are to be found, and it is hoped that the list will serve as an index to Mr. Carter's papers.

The list of genera and species was compiled whilst I was working in the Natural History Department of the British Museum, and it contains 985 references, every one of which was obtained from the original paper. In addition to the species described for the first time by Mr. Carter himself, which are distinguished by the presence of his name attached to them, the list contains a number of his more important references to the species of other authors. Care has been taken to give all the names exactly in the form in which they appear in Mr. Carter's works, and although subsequent research will probably necessitate considerable modification in Mr. Carter's nomenclature, I have felt that it would be out of place to attempt any such modification here.

It may be of especial interest to Victorian Naturalists to observe, that more than a quarter of the species and varieties mentioned in the list are recorded by Mr. Carter from the neighbourhood of Port Phillip Heads and Western Port.

---

\* A. M. N. H. Ser. 5. Vol. xix, p. 203.

† A. M. N. H. Ser. 5. Vol. xix, p. 350.

‡ *Jour. Linn. Soc.* Vol. xxi, p. 61.



## II.—ALPHABETICAL LIST.

<i>Acanthella cactiformis</i>	Carter	A.M.N.H.	5,	xv, p. 114
		A.M.N.H.	5,	xvi, p. 364
„ <i>hirciniopsis</i>	„	A.M.N.H.	5,	xvi, p. 364
„ <i>stipitata</i>	„	A.M.N.H.	5,	vii, p. 380
<i>Acanthellina parviconulata</i>	„	A.M.N.H.	5,	xvi, p. 365
„ <i>rugolineata</i>	„	A.M.N.H.	5,	xvi, p. 365
<i>Acarus innominatus</i>		A.M.N.H.	4,	vii, p. 273
		A.M.N.H.	4,	xvi, p. 195
<i>Acervochalina claviformis</i>	Carter	A.M.N.H.	5,	xviii, p. 376
<i>Agelas dispar</i>		A.M.N.H.	4,	xvi, p. 195
<i>Aleyoncellum corbicula</i>		A.M.N.H.	4,	xii, p. 367
„ <i>speciosum</i>		A.M.N.H.	4,	xii, p. 367
<i>Aleyonium purpureum</i>		A.M.N.H.	4,	xvi, p. 197
		A.M.N.H.	5,	ix, p. 352
<i>Alectona Higginii</i>	Carter	A.M.N.H.	5,	vi, p. 58
„ <i>Millari</i>	„	J.R. Micro. Soc.,	vol. ii,	p. 494
<i>Amorphina anonyma</i>	„	A.M.N.H.	5,	xvii, p. 49
„ <i>cancellosa</i>	„	A.M.N.H.	5,	xvii, p. 50
„ <i>megalorhaphis</i>	„	A.M.N.H.	5,	vii, p. 368
„ <i>nigrocutis</i>	„	A.M.N.H.	5,	xvii, p. 50
„ <i>stellifera</i>	„	A.M.N.H.	5,	iii, p. 344
<i>Amorphinopsis excavans</i>	„	Jour. Linn. Soc.,	vol. xxi,	p. 77
<i>Aphrocallistes beatrix</i>		A.M.N.H.	4,	xii, p. 359
		A.M.N.H.	4,	xii, p. 451
„ <i>Bocagei</i>		A.M.N.H.	4,	xii, p. 359
		A.M.N.H.	4,	xii, p. 450
		A.M.N.H.	4,	xvi, p. 199
<i>Aphroceras asconoides</i>	Carter	A.M.N.H.	5,	xviii, p. 134
„ <i>syconoides</i>	„	A.M.N.H.	5,	xviii, p. 135
<i>Aplysina aërophoba</i>		A.M.N.H.	4,	xvi, p. 191
		A.M.N.H.	5,	ix, p. 270
„ <i>caespitosa</i>	Carter	A.M.N.H.	5,	xviii, p. 282
„ <i>capensis</i>	„	A.M.N.H.	4,	xvi, p. 192
		A.M.N.H.	5,	viii, p. 110
„ <i>carnosa</i>		A.M.N.H.	4,	xvi, p. 191
„ <i>cauliformis</i>	Carter	A.M.N.H.	5,	ix, p. 270
	P. Acad. Nat. Sci.,	Philad.,	1884,	p. 202
„ <i>chalinoides</i>	Carter	A.M.N.H.	4,	xvi, p. 192
„ <i>compacta</i>	„	A.M.N.H.	5,	viii, p. 109
„ <i>compressa</i>	„	A.M.N.H.	5,	ix, p. 270
„ <i>corneostellata</i>	„	A.M.N.H.	4,	x, p. 105
		A.M.N.H.	4,	xvi, p. 191
„ <i>cruor</i>	„	A.M.N.H.	5,	xviii, p. 286
„ <i>fenestrata</i>		A.M.N.H.	5,	ix, p. 272
„ <i>fusca</i>	Carter	A.M.N.H.	5,	vi, p. 36

		A.M.N.H.	5,	viii,	p. 107
<i>Aplysina</i>	<i>incrustans</i>	Carter	A.M.N.H.	4,	xviii, p. 231
„	<i>inflata</i>	„	A.M.N.H.	5,	viii, p. 108
„	<i>lævis</i>	„	A.M.N.H.	5,	xv, p. 204
„	<i>longissima</i>	„	A.M.N.H.	5,	ix, p. 271
„	<i>massa</i>	„	A.M.N.H.	5,	xviii, p. 284
„	<i>nævus</i>	„	A.M.N.H.	4,	xviii, p. 229
			A.M.N.H.	5,	xviii, p. 285
„	<i>purpurea</i>	„	A.M.N.H.	5,	vi, p. 36
			A.M.N.H.	5,	viii, p. 103
<i>Arabescula</i>	<i>parasitica</i>	„	A.M.N.H.	4,	xii, p. 464
<i>Ascaltis</i>	<i>Lamarekii</i>	P. Acad. Nat. Sci., Philad.,			1844, p. 208
<i>Ascetta</i>	<i>clathrus</i>		A.M.N.H.	5,	xiv, p. 17
<i>Askonema</i>	<i>setubalense</i>		A.M.N.H.	4,	xii, p. 361
			A.M.N.H.	4,	xii, p. 368
<i>Aulodictyon</i>	<i>Woodwardii</i>		A.M.N.H.	4,	xii, p. 360
			A.M.N.H.	4,	xii, p. 452
<i>Axinella</i>	<i>atropurpurea</i>	Carter	A.M.N.H.	5,	xvi, p. 359
„	<i>chalinoides</i>	„	A.M.N.H.	5,	xvi, p. 358
„	„ var. <i>cribrosa</i>	„	A.M.N.H.	5,	xviii, p. 377
„	„ „ <i>glutinosa</i>	„	A.M.N.H.	5,	xvi, p. 359
„	<i>cinnamomea</i>		A.M.N.H.	4,	xvi, p. 196
„	<i>cladoflagellata</i>	Carter	A.M.N.H.	5,	xviii, p. 377
„	<i>coccinea</i>	„	A.M.N.H.	5,	xviii, p. 378
„	<i>flabellata</i>	„	A.M.N.H.	5,	xvi, p. 361
„	<i>meloniformis</i>	„	A.M.N.H.	5,	xvi, p. 362
„	<i>pilifera</i>	„	A.M.N.H.	5,	xvi, p. 362
„	<i>polypoides</i>	P. Acad. Nat. Sci., Philad.,			1884, p. 205
„	<i>setacea</i>	Carter	A.M.N.H.	5,	xvi, p. 359
„	<i>solida</i>	„	A.M.N.H.	5,	xvi, p. 362
„	<i>stelliderma</i>	„	A.M.N.H.	5,	xvi, p. 360
„	„ var. <i>acerata</i>	„	A.M.N.H.	5,	xvi, p. 360
„	<i>villosa</i>	„	A.M.N.H.	5,	xvi, p. 361
„	<i>virgultosa</i>	„	Jour. Linn. Soc., vol. xxi,		p. 68
„	„ var. <i>massa</i>	„	Jour. Linn. Soc., vol. xxi,		p. 68
<i>Axos</i>	<i>anchorata</i>	„	A.M.M.H.	5,	vii, p. 382
			A.M.N.H.	5,	ix, p. 288
„	<i>Cliftonii</i>		A.M.N.H.	4,	xvi, p. 198
„	<i>fibulata</i>	Carter	A.M.N.H.	5,	vii, p. 383
			A.M.N.H.	5,	ix, p. 288
„	<i>flabelliformis</i>	„	A.M.N.H.	5,	iii, p. 285
„	<i>spinipoculum</i>	„	A.M.N.H.	5,	iii, p. 286
<i>Azorica</i>	<i>Pfeifferæ</i>	„	A.M.N.H.	4,	xii, p. 439
			A.M.N.H.	4,	xii, p. 442
			A.M.N.H.	4,	xviii, p. 466
<i>Battersbya</i>	<i>Bucklandi</i>		A.M.N.H.	4,	xvi, p. 199



<i>Cacospongia cavernosa</i>		A.M.N.H.	4,	xvi,	p. 193
„ sp.		Jour. Linn. Soc.,	vol. xxi,	p.	64
<i>Carmia macilentia</i>		A.M.N.H.	4,	vii,	p. 276
<i>Carteriospongia caliciformis</i>	Carter	A.M.N.H.	5,	xv,	p. 221
<i>Caulospongia plicata</i>		A.M.N.H.	4,	xvi,	p. 196
„ verticillaris		A.M.N.H.	4,	xvi,	p. 196
<i>Cavochalina bilamellata</i>		A.M.N.H.	5,	xvi,	p. 287
„ digitata var. arenosa	Carter	A.M.N.H.	5,	ix,	p. 281
<i>Cellulophana pileata</i>		A.M.N.H.	5,	viii,	p. 258
<i>Chalina compressa</i>		A.M.N.H.	5,	x,	p. 112
„ digitata var. arenosa	Carter	A.M.N.H.	5,	ix,	p. 280
„ inornata		Midland Naturalist,	vol. 3,	p.	194
„ oculata		A.M.N.H.	4,	xvi,	p. 193
		P. Acad. Nat. Sci.,	Philad.,	1884,	p. 204
„ „ var. fibrosa	Carter	Jour. Linn. Soc.,	vol. xxi,	p.	66
„ „ „ repens	„	A.M.N.H.	5,	xviii,	p. 375
„ palmata		A.M.N.H.	5,	x,	p. 109
„ polychotoma		A.M.N.H.	5,	xvi,	p. 284
„ „ var. anchorata	Carter	A.M.N.H.	5,	xvi,	p. 289
„ „ „ angulata	„	A.M.N.H.	5,	xvi,	p. 285
„ „ „ compressa	„	A.M.N.H.	5,	xvi,	p. 284
„ „ „ moniliformis	„	A.M.N.H.	5,	xvi,	p. 285
„ „ „ oculata		A.M.N.H.	5,	xvi,	p. 284
„ „ „ robusta	Carter	A.M.N.H.	5,	xvi,	p. 285
„ „ „ trichotoma	„	A.M.N.H.	5,	xv,	p. 115
		A.M.N.H.	5,	xvi,	p. 284
„ rubens		A.M.N.H.	5,	ix,	p. 276
„ seriata		A.M.N.H.	4,	xvi,	p. 196
„ spinifera	Carter	Jour. Linn. Soc.,	vol. xxi,	p.	66
<i>Chalinopsis clathrodes</i>		A.M.N.H.	4,	xvi,	p. 195
<i>Chondrilla australiensis</i>	Carter	A.M.N.H.	4,	xii,	p. 23
		A.M.N.H.	5,	viii,	p. 249
„ distincta		A.M.N.H.	5,	viii,	p. 249
„ embolopora		A.M.N.H.	5,	viii,	p. 249
„ mixta		A.M.N.H.	5,	viii,	p. 249
„ nucula		A.M.N.H.	4,	xvi,	p. 191
		A.M.N.H.	5,	viii,	p. 249
		A.M.N.H.	5,	ix,	p. 268
		A.M.N.H.	5,	xviii,	p. 277
„ papillata		A.M.N.H.	5,	xviii,	p. 278
„ phyllodes		A.M.N.H.	5,	viii,	p. 249
„ sacciformis	Carter	A.M.N.H.	5,	iii,	p. 299
„ secunda		A.M.N.H.	5,	xviii,	p. 277
<i>Chondrocladia virgata</i>		A.M.N.H.	4,	xiv,	p. 217
<i>Chondropsis arenifera</i>	Carter	A.M.N.H.	5,	xvii,	p. 122
<i>Chondrosia plebeja</i>		A.M.N.H.	5,	viii,	p. 248
„ reniformis		A.M.N.H.	5,	viii,	p. 248

<i>Chondrosia spurca</i>	Carter	A.M.N.H.	5,	xix,	p. 286
„ <i>tuberculata</i>		A.M.N.H.	5,	viii,	p. 248
<i>Ciocalypa penicillus</i> var. <i>aciculata</i>	Carter	A.M.N.H.	5,	xvi,	p. 366
„ <i>Tyleri</i>		A.M.N.H.	5,	xvi,	p. 366
<i>Cladorhiza abyssicola</i>		A.M.N.H.	4,	xiv,	p. 218
„ var. <i>corticocancellata</i>	Carter	A.M.N.H.	4,	xviii,	p. 319
<i>Ciathria compressa</i>		A.M.N.H.	4,	xvi,	p. 195
„ <i>oroides</i>		A.M.N.H.	4,	xvi,	p. 195
<i>Clathrina cavata</i>	Carter	A.M.N.H.	5,	xvii,	p. 502
„ <i>clathrus</i>		A.M.N.H.	5,	xiv,	p. 17
„ <i>laminoclathrata</i>	Carter	A.M.N.H.	5,	xvii,	p. 509
„ <i>latitubulata</i>	„	A.M.N.H.	5,	xvii,	p. 515
„ <i>osculum</i>	„	A.M.N.H.	5,	xvii,	p. 503
„ <i>primordialis</i>		A.M.N.H.	5,	xvii,	p. 510
„ <i>sulphurea</i>		A.M.N.H.	5,	xiv,	p. 18
„ <i>tripodifera</i>	Carter	A.M.N.H.	5,	xvii,	p. 505
„ „ var. <i>gravida</i>	„	A.M.N.H.	5,	xvii,	p. 507
„ <i>ventricosa</i>	„	A.M.N.H.	5,	xvii,	p. 512
<i>Cliona abyssorum</i>	„	A.M.N.H.	4,	xiv,	p. 249
		A.M.N.H.	5,	ix,	p. 353
„ <i>bacillifera</i>	Carter	Jour. Linn. Soc.,	vol. xxi,	p. 76	
„ <i>caribbæa</i>	„	A.M.N.H.	5,	ix,	p. 346
„ <i>celata</i>		A.M.N.H.	4,	xvi,	p. 197
		A.M.N.H.	5,	ix,	p. 349
		A.M.N.H.	5,	ix,	p. 353
		A.M.N.H.	5,	xviii,	p. 458
„ <i>corallinoides</i>		A.M.N.H.	4,	xvi,	p. 198
		A.M.N.H.	5,	ix,	p. 353
„ <i>ensifera</i>		A.M.N.H.	5,	ix,	p. 354
„ <i>gracilis</i>		A.M.N.H.	5,	ix,	p. 353
„ <i>Howsei</i>		A.M.N.H.	5,	ix,	p. 353
„ <i>lobata</i>		A.M.N.H.	5,	ix,	p. 353
„ <i>mazatlanensis</i>		A.M.N.H.	5,	ix,	p. 353
„ <i>mucronata</i>		A.M.N.H.	5,	ix,	p. 354
„ <i>northumbrica</i>		A.M.N.H.	5,	ix,	p. 353
„ <i>subulata</i>		A.M.N.H.	5,	ix,	p. 354
„ <i>vastifica</i>		A.M.N.H.	5,	ix,	p. 353
„ <i>vermifera</i>		A.M.N.H.	5,	ix,	p. 353
„ <i>Warreni</i>	Carter	A.M.N.H.	5,	vii,	p. 370
<i>Columnitis squamata</i>		A.M.N.H.	5,	viii,	p. 252
<i>Cometella pyrula</i>	Carter	A.M.N.H.	4,	xviii,	p. 388
„ <i>simplex</i>	„	A.M.N.H.	4,	xviii,	p. 395
<i>Corallistes aculeata</i>	„	A.M.N.H.	5,	vi,	p. 143
„ <i>borealis</i>	„	A.M.N.H.	4,	xii,	p. 439
		A.M.N.H.	4,	xii,	p. 443
„ <i>Bowerbankii</i>		A.M.N.H.	4,	xviii,	p. 460
„ <i>clavatella</i>		A.M.N.H.	4,	xii,	p. 438



Corallistes elegantior		A.M.N.H.	4,	xii, p. 439
„ elegantissima	Carter	A.M.N.H.	5,	vi, p. 144
„ microtuberculatus		A.M.N.H.	4,	xii, p. 439
„ noli tangere		A.M.N.H.	4,	xii, p. 439
„ polydiscus		A.M.N.H.	4,	xii, p. 438
		A.M.N.H.	4,	xii, p. 441
„ typus		A.M.N.H.	4,	xii, p. 437
„ verrucosa	Carter	A.M.N.H.	5,	vi, p. 144
Cornulum textile	„	A.M.N.H.	4,	xviii, p. 309
Corticium abyssi	„	A.M.N.H.	4,	xii, p. 18
		A.M.N.H.	4,	xvi, p. 191
		A.M.N.H.	5,	viii, p. 250
„ australiensis	„	A.M.N.H.	4,	xvi, p. 191
„ candelabrum		A.M.N.H.	4,	xvi, p. 191
		A.M.N.H.	5,	viii, p. 249
„ Kittonii	Carter	A.M.N.H.	4,	xiv, p. 253
		A.M.N.H.	5,	viii, p. 250
„ parasiticum	Carter	A.M.N.H.	4,	xviii, p. 229
„ plicatum		A.M.N.H.	5,	viii, p. 250
„ stelligerum		A.M.N.H.	5,	viii, p. 250
„ versatile		A.M.N.H.	5,	viii, p. 250
„ Wallichii	Carter	A.M.N.H.	5,	iii, p. 353
Coscinoderma lanuginosum	„	A.M.N.H.	5,	xii, p. 309
		A.M.N.H.	5,	xv, p. 318
Crateromorpha Meyeri		A.M.N.H.	4,	x, p. 112
		A.M.N.H.	4,	xii, p. 361
		A.M.N.H.	4,	xii, p. 369
		A.M.N.H.	4,	xvi, p. 199
Cribrella hospitalis		A.M.N.H.	4,	xviii, p. 313
Dactylia chaliniformis	Carter	A.M.N.H.	5,	xv, p. 309
„ impar	„	A.M.N.H.	5,	xv, p. 309
„ palmata	„	A.M.N.H.	5,	xv, p. 310
Dactylocalyx Bowerbankii		A.M.N.H.	4,	xii, p. 437
		A.M.N.H.	4,	xii, p. 440
„ Masoni		A.M.N.H.	4,	xii, p. 437
		A.M.N.H.	4,	xii, p. 440
„ polydiscus		A.M.N.H.	4,	xii, p. 438
		A.M.N.H.	4,	xii, p. 442
„ Prattii		A.M.N.H.	4,	xii, p. 438
		A.M.N.H.	4,	xii, p. 441
„ pumicea		A.M.N.H.	4,	xii, p. 357
„ pumiceus		A.M.N.H.	4,	xii, p. 357
		A.M.N.H.	4,	xvi, p. 199
„ subglobosa		A.M.N.H.	4,	xii, p. 358
Dactylocalycites callodiscus	Carter	A.M.N.H.	4,	vii, p. 123
„ ellipticus	„	A.M.N.H.	4,	vii, p. 123

<i>Dactylocalycites Vicaryi</i>	Carter	A.M.N.H.	4,	vii,	p. 123
<i>Darwinella australiensis</i>	"	A.M.N.H.	5,	xv,	p. 202
<i>Dendrilla rosea</i> var. <i>digitata</i>	"	A.M.N.H.	5,	xviii,	p. 281
<i>Dercites haldonensis</i>	"	A.M.N.H.	4,	vii,	p. 130
<i>Dercitus niger</i>	"	A.M.N.H.	4,	vii,	p. 3
		A.M.N.H.	4,	xvi,	p. 199
<i>Desmacella pumilio</i>		A.M.N.H.	4,	xiv,	p. 250
<i>Desmacidon ægagropila</i>		A.M.N.H.	4,	xvi,	p. 197
" <i>fistulosa</i>		A.M.N.H.	5,	x,	p. 121
"    "    var. <i>fuliginosa</i>	Carter	A.M.N.H.	5,	x,	p. 121
" <i>Jeffreysii</i>		A.M.N.H.	5,	vi,	p. 37
		A.M.N.H.	5,	x,	p. 121
" <i>titubans</i>		A.M.N.H.	4,	xvi,	p. 197
<i>Dictyocylindrus abyssii</i>	Carter	A.M.N.H.	4,	xii,	p. 29
" <i>abyssorum</i>	"	A.M.N.H.	4,	xviii,	p. 232
" <i>aceratus</i>	"	Jour. Linn. Soc.,	vol. xxi,	p. 67	
" <i>anchorata</i>	"	A.M.N.H.	4,	xiv,	p. 251
" <i>cacticutis</i>	"	A.M.N.H.	5,	xvi,	p. 354
" <i>dentatus</i>	"	A.M.N.H.	4,	xvi,	p. 198
" <i>hispidus</i>	"	A.M.N.H.	4,	xvi,	p. 196
		Jour. Linn. Soc.,	vol. xxi,	p. 66	
" <i>laciniatus</i>	Carter	A.M.N.H.	5,	iii,	p. 296
" <i>manaarensis</i>	"	A.M.N.H.	5,	vi,	p. 37
" <i>piniformis</i>	"	A.M.N.H.	5,	xvi,	p. 354
" <i>pinnatifidus</i>	"	A.M.N.H.	5,	xvi,	p. 353
" <i>Pykii</i>	"	A.M.N.H.	5,	iii,	p. 297
" <i>ramosus</i>	"	A.M.N.H.	4,	xvi,	p. 195
" <i>reticulatus</i>	Carter	A.M.N.H.	5,	vii,	p. 377
" <i>sessilis</i>	"	A.M.N.H.	5,	vi,	p. 38
" <i>simplex</i>	"	A.M.N.H.	4,	xviii,	p. 234
" <i>Vickersii</i>	"	A.M.N.H.	5,	iii,	p. 292
" <i>virgultosus</i>	"	A.M.N.H.	4,	xviii,	p. 234
<i>Discodermia aspera</i>	Carter	A.M.N.H.	5,	vi,	p. 147
" <i>laevidiscus</i>	"	A.M.N.H.	5,	vi,	p. 149
" <i>papillata</i>	"	A.M.N.H.	5,	vi,	p. 146
" <i>polydiscus</i>	"	A.M.N.H.	4,	xviii,	p. 462
" <i>sceptrellifera</i>	Carter	A.M.N.H.	5,	vii,	p. 372
" <i>sinuosa</i>	"	A.M.N.H.	5,	vii,	p. 372
" <i>spinispirulifera</i>	"	A.M.N.H.	5,	vi,	p. 148
<i>Donatia aurantium</i>		A.M.N.H.	4,	xvi,	p. 198
" <i>lyneurium</i>		A.M.N.H.	5,	ix,	p. 358
		Jour. Linn. Soc.,	vol. xxi,	p. 77	
" <i>multifida</i>	Carter	A.M.N.H.	5,	ix,	p. 358
<i>Dotona pulchella</i>	"	A.M.N.H.	5,	vi,	p. 57
<i>Dysidea antiqua</i>	"	A.M.N.H.	5,	i,	p. 139
" <i>chaliniformis</i>	"	A.M.N.H.	5,	xv,	p. 217
" <i>fragilis</i>	"	A.M.N.H.	4,	xvi,	p. 193



		A.M.N.H.	4,	xviii,	p.	232
		A.M.N.H.	5,	xv,	p.	215
Dysidea	hirciniformis	Carter	A.M.N.H.	5,	xv,	p. 217
"	Kirkii		A.M.N.H.	5,	vii,	p. 374
			A.M.N.H.	5,	xv,	p. 216
"	ramoglomerata	Carter	Jour. Linn. Soc.,	vol. xxi,	p.	64
"	" var. granulata	"	Jour. Linn. Soc.,	vol. xxi,	p.	65
"	" ramotubulata	"	Jour. Linn. Soc.,	vol. xxi,	p.	65
"	tenerrima	Carter	P. Acad. Nat. Sci.,	Philad., 1884,	p.	203
"	tubulosa	Carter	A.M.N.H.	5,	ix,	p. 275
Echinoclathria	favus	"	A.M.N.H.	5,	xvi,	p. 292
"	var. arenifera	"	A.M.N.H.	5,	xvi,	p. 350
"	gracilis	"	A.M.N.H.	5,	xvi,	p. 356
"	nodosa	"	A.M.N.H.	5,	xvi,	p. 356
"	subhispidata	"	A.M.N.H.	5,	xvi,	p. 356
"	tenuis	"	A.M.N.H.	5,	xvi,	p. 355
Echinonema	anchoratum	"	A.M.N.H.	5,	vii,	p. 379
"	cæspitosa	"	A.M.N.H.	5,	xvi,	p. 352
"	flabelliformis	"	A.M.N.H.	5,	xvi,	p. 352
"	incrustans	"	A.M.N.H.	5,	xvi,	p. 353
"	pectiniformis	"	A.M.N.H.	5,	xvi,	p. 353
"	typicum	"	A.M.N.H.	4,	xvi,	p. 195
			A.M.N.H.	5,	vii,	p. 378
"	vasiplicata	"	A.M.N.H.	5,	x,	p. 114
Ecionemia	compressa		A.M.N.H.	5,	xi,	p. 362
"	nana	Carter	A.M.N.H.	5,	xi,	p. 362
Ectyon	cylindricus	"	A.M.N.H.	5,	xii,	p. 314
"	flabelliformis	"	A.M.N.H.	5,	xii,	p. 311
"	mauritanus	"	A.M.N.H.	5,	xii,	p. 310
"	sparsus		A.M.N.H.	4,	vii,	p. 270
			A.M.N.H.	4,	xvi,	p. 195
			A.M.N.H.	5,	ix,	p. 281
Ectyonopsis	ramosa	Carter	A.M.N.H.	5,	xii,	p. 315
Esperia	borassus	"	A.M.N.H.	4,	xviii,	p. 317
"	Cunninghami	"	A.M.N.H.	5,	ix,	p. 300
"	cupressiformis	"	A.M.N.H.	4,	xiv,	p. 215
"	" var. bihamatifera	"	A.M.N.H.	4,	xviii,	p. 318
"	" " hamatifera	"	A.M.N.H.	4,	xviii,	p. 471
"	indica	"	Jour. Linn. Soc.,	vol. xxi,	p.	72
"	lævis	"	A.M.N.H.	5,	ix,	p. 291
"	obscura	"	A.M.N.H.	5,	ix,	p. 299
"	parasitica	"	A.M.N.H.	5,	xv,	p. 108
			A.M.N.H.	5,	xviii,	p. 455
"	placoides	Carter	A.M.N.H.	4,	xviii,	p. 316
"	plumosa	"	A.M.N.H.	5,	ix,	p. 299
			Jour. Linn. Soc.,	vol. xxi,	p.	72

<i>Esperia serratohamata</i>	Carter	A.M.N.H.	5,	vi, p.	49
„ <i>socialis</i>	„	A.M.N.H.	4,	vii, p.	276
„ <i>tunicata</i>	„	A.M.N.H.	5,	vi, p.	49
„ <i>villosa</i>	Carter	A.M.N.H.	4,	xiv, p.	213
<i>Esperiopsis villosa</i>	„	A.M.N.H.	5,	ix, p.	296
<i>Esperites giganteus</i>	„	A.M.N.H.	4,	vii, p.	131
„ <i>haldonensis</i>	Carter	A.M.N.H.	4,	xviii, p.	459
<i>Euplectella aspergillum</i>	„	A.M.N.H.	4,	vii, p.	131
„	„	A.M.N.H.	4,	xii, p.	359
„	„	A.M.N.H.	4,	xii, p.	366
„	„	A.M.N.H.	4,	xvi, p.	199
„ <i>eucumer</i>	„	A.M.N.H.	4,	xii, p.	362
„	„	A.M.N.H.	4,	xii, p.	367
„	„	A.M.N.H.	4,	xvi, p.	200
<i>Eurete farreopsis</i>	Carter	A.M.N.H.	4,	xix, p.	122
<i>Euspongia anfractuosa</i>	„	A.M.N.H.	5,	xv, p.	316
„ <i>compacta</i>	„	A.M.N.H.	5,	x, p.	106
„ <i>infundibuliformis</i>	„	A.M.N.H.	5,	xviii, p.	374
<i>Farrea densa</i>	„	A.M.N.H.	4,	xii, p.	463
„ <i>facunda</i>	„	A.M.N.H.	4,	xii, p.	454
„ <i>fecunda</i>	„	A.M.N.H.	4,	xii, p.	360
„ <i>infundibularis</i>	Carter	A.M.N.H.	4,	xii, p.	360
„ <i>infundibuliformis</i>	„	A.M.N.H.	4,	xii, p.	448
„ <i>occa</i>	„	A.M.N.H.	4,	xii, p.	360
„	„	A.M.N.H.	4,	xii, p.	454
„	„	A.M.N.H.	5,	xv, p.	388
<i>Fibularia massa</i>	Carter	A.M.N.H.	5,	ix, p.	282
„ <i>ramosa</i>	„	A.M.N.H.	5,	ix, p.	283
	Jour. Linn. Soc.,	vol. xxi,	p.	71	
<i>Fibulia carnosa</i>	Carter	A.M.N.H.	5,	xvii, p.	51
<i>Forcepia colonensis</i>	„	A.M.N.H.	4,	xiv, p.	248
„	„	A.M.N.H.	5,	xv, p.	110
„	„	A.M.N.H.	5,	xvii, p.	53
„ <i>crassanchorata</i>	„	A.M.N.H.	5,	xv, p.	111
<i>Geelongia vasiformis</i>	„	A.M.N.H.	5,	xv, p.	120
„	„	A.M.N.H.	5,	xv, p.	306
<i>Geodia arabica</i>	„	A.M.N.H.	4,	iv, p.	4
„	„	A.M.N.H.	4,	xvi, p.	198
„ <i>areolata</i>	„	A.M.N.H.	5,	vi, p.	133
„ <i>canaliculata</i>	„	A.M.N.H.	5,	xi, p.	346
„ <i>gibberosa</i>	„	A.M.N.H.	5,	ix, p.	364
„ <i>globostellifera</i>	Carter	A.M.N.H.	5,	vi, p.	134
„ <i>megastrella</i>	„	A.M.N.H.	4,	xviii, p.	400
„ „ <i>var. laevispina</i>	„	A.M.N.H.	4,	xviii, p.	401
„ <i>nodastrella</i>	„	A.M.N.H.	4,	xviii, p.	397



<i>Geodia perarmata</i>		A.M.N.H.	5,	vi, p. 131
„ <i>ramodigitata</i>	Carter	A.M.N.H.	5,	vi, p. 133
„ <i>tuberculosa</i>		A.M.N.H.	5,	ix, p. 364
	P. Acad. Nat. Sci., Philad.,			1884, p. 208
„ <i>tumulosa</i>		A.M.N.H.	5,	ix, p. 362
„ <i>zetlandica</i>		A.M.N.H.	4,	xvi, p. 198
<i>Geodites haldonensis</i>	Carter	A.M.N.H.	4,	vii, p. 129
<i>Gomphites Parfittii</i>	„	A.M.N.H.	4,	vii, p. 127
„ <i>parviceps</i>	„	A.M.N.H.	4,	vii, p. 127
<i>Grantia ciliata</i>		Midland Naturalist,	vol. iii,	p. 195
„ „ <i>var. spinispiculum</i>	Carter	A.M.N.H.	5,	xiii, p. 156
„ „ ? <i>var. spinispiculum</i>	„	A.M.N.H.	4,	xviii, p. 468
„ <i>clathrus</i>		A.M.N.H.	5,	xiv, p. 17
„ <i>compressa</i>		Midland Naturalist,	vol. iii,	p. 195
		A.M.N.H.	5,	xviii, p. 37
„ „ <i>var. fistulata</i>	Carter	A.M.N.H.	5,	xviii, p. 37
„ <i>subhispidata</i>	„	A.M.N.H.	5,	xviii, p. 36
„ <i>tesselata</i>		Midland Naturalist,	vol. iii,	p. 195
<i>Grayella cyathophora</i>	Carter	A.M.N.H.	4,	iv, p. 190
		A.M.N.H.	4,	xvi, p. 198
		A.M.N.H.	5,	viii, p. 251
<i>Guitarra fimbriata</i>	„	A.M.N.H.	4,	xiv, p. 210
<i>Gummina ecaudata</i>		A.M.N.H.	5,	viii, p. 248
„ <i>gliricauda</i>		A.M.N.H.	5,	viii, p. 248
„ <i>Wallichii</i>	Carter	A.M.N.H.	4,	xiv, p. 252
<i>Habrodictyon corbicula</i>		A.M.N.H.	4,	xii, p. 361
„ <i>speciosum</i>		A.M.N.H.	4,	xii, p. 361
<i>Halichondria abyssi</i>	Carter	A.M.N.H.	4,	xiv, p. 245
		A.M.N.H.	4,	xviii, p. 315
„ <i>aceratospiculum</i>	„	A.M.N.H.	5,	vi, p. 49
„ <i>aegagropila</i>		A.M.N.H.	4,	xvi, p. 197
„ <i>albescens</i>		A.M.N.H.	5,	vi, p. 48
„ <i>birotulata</i>		A.M.N.H.	5,	xvii, p. 52
		Jour. Linn. Soc.,	vol. xxi,	p. 72
„ <i>carnosa</i>	Phil. Trans. Roy. Soc.,			vol. clxviii, p. 287
		A.M.N.H.	5,	ix, p. 353
„ <i>compressa</i>	Carter	A.M.N.H.	5,	xviii, p. 450
„ <i>ficus</i>		A.M.N.H.	4,	xvi, p. 197
		A.M.N.H.	5,	ix, p. 353
„ <i>foliata</i>		A.M.N.H.	4,	xviii, p. 310
„ <i>forcipis</i>		A.M.N.H.	4,	xiv, p. 246
„ „ <i>var. bulbosa</i>	Carter	A.M.N.H.	4,	xviii, p. 312
„ <i>Hyndmani</i>		A.M.N.H.	4,	xvi, p. 197
„ <i>incrustans</i>		A.M.N.H.	4,	xvi, p. 197
	P. Acad. Nat. Sci., Philad.,			1884, p. 206
„ <i>infrequens</i>	Carter	A.M.N.H.	5,	vii, p. 369

<i>Halichondria isodictyalis</i>	Carter	A.M.N.H.	5,	ix,	p. 285
		A.M.N.H.	5,	xvii,	p. 52
„ <i>maculans</i>		A.M.N.H.	4,	xvi,	p. 195
„ <i>palmata</i>		A.M.N.H.	4,	xvi,	p. 194
„ <i>panicea</i>		A.M.N.H.	4,	xvi,	p. 196
		Phil. Trans. Roy. Soc.,	vol. clxviii,		p. 286
		Midland Naturalist,	vol. iii,		p. 194
		P. Acad. Nat. Sci.,	Philad., 1884,		p. 206
		Jour. Linn. Soc.,	vol. xxi,		p. 69
„ <i>phlyctenodes</i>	Carter	A.M.N.H.	4,	xviii,	p. 314
„ <i>plumosa</i>		A.M.N.H.	4,	xvi,	p. 195
		Phil. Trans. Roy. Soc.,	vol. clxviii,		p. 287
		A.M.N.H.	5,	vii,	p. 368
„ <i>pustulosa</i>	Carter	A.M.N.H.	5,	ix,	p. 285
		A.M.N.H.	5,	xviii,	p. 450
„ <i>sanguinea</i>		A.M.N.H.	4,	xvi,	p. 197
		Phil. Trans. Roy. Soc.,	vol. clxviii,		p. 287
		P. Acad. Nat. Sci.,	Philad., 1884,		p. 208
„ <i>scabida</i>	Carter	A.M.N.H.	5,	xv,	p. 112
		A.M.N.H.	5,	xviii,	p. 449
„ <i>seriata</i>		A.M.N.H.	4,	xvi,	p. 196
„ <i>simulans</i>		A.M.N.H.	4,	xiv,	p. 331
		A.M.N.H.	4,	xvi,	p. 194
„ <i>stelliderma</i>	Carter	A.M.N.H.	5,	xviii,	p. 451
„ <i>suberea</i>		A.M.N.H.	4,	xvi,	p. 197
„ <i>suberia</i>		A.M.N.H.	5,	ix,	p. 353
<i>Halicnemia patera</i>		A.M.N.H.	4,	xvi,	p. 198
		A.M.N.H.	5,	ix,	p. 357
<i>Halisarca ascidiarum</i>	Carter	A.M.N.H.	5,	xviii,	p. 273
„ <i>australiensis</i>	„	A.M.N.H.	5,	xv,	p. 197
		A.M.N.H.	5,	xviii,	p. 273
„ „ <i>var. arenacea</i>	„	A.M.N.H.	5,	xviii,	p. 277
„ <i>bassangestiarum</i>	„	A.M.N.H.	5,	vii,	p. 373
„ <i>cruenta</i>	„	A.M.N.H.	4,	xviii,	p. 228
		A.M.N.H.	5,	viii,	p. 247
„ <i>Dujardinii</i>		A.M.N.H.	4,	xvi,	p. 191
		A.M.N.H.	5,	viii,	p. 245
„ <i>guttula</i>		A.M.N.H.	5,	viii,	p. 246
„ <i>lobularis</i>		A.M.N.H.	4,	xiii,	p. 434
		A.M.N.H.	4,	xvi,	p. 191
		A.M.N.H.	5,	viii,	p. 245
„ „ <i>purpurea</i>		A.M.N.H.	5,	viii,	p. 246
„ <i>mimosa</i>		A.M.N.H.	5,	viii,	p. 246
„ <i>reticulata</i>	Carter	A.M.N.H.	5,	xviii,	p. 274
„ <i>rubitingens</i>	„	A.M.N.H.	5,	vii,	p. 366
„ <i>tessellata</i>	„	A.M.N.H.	5,	xviii,	p. 275
<i>Halispongia choanoides</i>		A.M.N.H.	4,	xvi,	p. 192



<i>Halispongia Mantelli</i>		A.M.N.H.	4,	xvi, p. 193
„ <i>ventriculoides</i>		A.M.N.H.	4,	xvi, p. 193
<i>Hemiasterella affinis</i>	Carter	A.M.N.H.	5,	iii, p. 147
„ <i>typus</i>	„	A.M.N.H.	5,	iii, p. 146
<i>Heteropia compressa</i>	„	A.M.N.H.	5,	xviii, p. 51
„ <i>erecta</i>	„	A.M.N.H.	5,	xviii, p. 53
„ <i>macera</i>	„	A.M.N.H.	5,	xviii, p. 50
„ <i>patulosculifera</i>	„	A.M.N.H.	5,	xviii, p. 49
„ <i>pluriosculifera</i>	„	A.M.N.H.	5,	xviii, p. 52
„ <i>polyperistomia</i>	„	A.M.N.H.	5,	xviii, p. 47
„ <i>spissa</i>	„	A.M.N.H.	5,	xviii, p. 54
<i>Hexactinella ventilabrum</i>	„	A.M.N.H.	5,	xv, p. 397
<i>Higginsia coralloides</i>	P. Acad. Nat. Sci., Philad., 1884,			p. 205
„ „ <i>var. massalis</i>	Carter	A.M.N.H.	5,	xvi, p. 357
„ „ „ <i>natalensis</i>	„	A.M.N.H.	5,	xvi, p. 293
„ <i>lunata</i>	„	A.M.N.H.	5,	xvi, p. 358
<i>Hircinia arundinacea</i>	„	A.M.N.H.	5,	vi, p. 36
„ <i>caracasensis</i>	„	A.M.N.H.	5,	ix, p. 273
„ <i>clathrata</i>	„	A.M.N.H.	5,	vii, p. 366
„ <i>communis</i>	„	A.M.N.H.	5,	xv, p. 314
„ <i>flabellopalinata</i>	„	A.M.N.H.	5,	xv, p. 313
„ <i>flagelliformis</i>	„	A.M.N.H.	5,	xviii, p. 372
„ <i>fusca</i>	„	A.M.N.H.	5,	vi, p. 36
„ <i>intertexta</i>	„	A.M.N.H.	5,	xv, p. 120
„ „		A.M.N.H.	5,	xv, p. 312
„ <i>panicea</i>		A.M.N.H.	4,	xvi, p. 192
„ <i>pulchra</i>	Carter	A.M.N.H.	5,	xv, p. 314
„ <i>rectilinea</i>		A.M.N.H.	5,	xviii, p. 373
„ <i>solida</i>	Carter	A.M.N.H.	5,	xv, p. 310
„ <i>tubulosa</i>	Carter P. Acad. Nat. Sci., Philad., 1884,			p. 203
„ <i>typica</i>		A.M.N.H.	4,	xvi, p. 192
„ <i>variabilis</i>		A.M.N.H.	4,	xvi, p. 192
„ <i>sp.</i>	Jour. Linn. Soc., vol. xxi,			p. 63
<i>Histoderma appendiculatum</i>	Carter	A.M.N.H.	4,	xiv, p. 220
<i>Histoderma polymasteides</i>	„	A.M.N.H.	5,	xviii, p. 453
„ <i>verrucosum</i>	„	A.M.N.H.	5,	xviii, p. 452
<i>Holasterella conferta</i>	„	A.M.N.H.	5,	vi, p. 211
„ <i>Wrightii</i>	„	A.M.N.H.	5,	iii, p. 141
<i>Holopsamma crassa</i>	„	A.M.N.H.	5,	xv, p. 211
„ <i>fuliginosa</i>	„	A.M.N.H.	5,	xv, p. 213
„ <i>lævis</i>	„	A.M.N.H.	5,	xv, p. 212
„ <i>laminaefavosa</i>	„	A.M.N.H.	5,	xv, p. 212
„ <i>turbo</i>	„	A.M.N.H.	5,	xv, p. 213
<i>Holtenia Carpenteri</i>		A.M.N.H.	4,	xii, p. 362
„ „		A.M.N.H.	4,	xii, p. 372
„ „		A.M.N.H.	4,	xvi, p. 199
„ <i>Pourtalesii</i>		A.M.N.H.	4,	xii, p. 361

		A.M.N.H.	4,	xii,	p. 370
<i>Hyalonema</i>	<i>cebuense</i>	A.M.N.H.	4,	xvi,	p. 199
„	<i>lusitanicum</i>	A.M.N.H.	4,	xii,	p. 362
		A.M.N.H.	4,	xvi,	p. 199
„	<i>Sieboldii</i>	A.M.N.H.	4,	xii,	p. 362
		A.M.N.H.	4,	xvi,	p. 199
		A.M.N.H.	5,	xv,	p. 387
„	<i>Smithii</i>	A.M.N.H.	5,	i,	p. 129
<i>Hymedesmia</i>	<i>capitatostellifera</i>	Carter A.M.N.H.	5,	vi,	p. 51
„	<i>Johnstoni</i>	A.M.N.H.	4,	xvi,	p. 197
„	<i>Moorei</i>	Carter A.M.N.H.	5,	vi,	p. 50
„	<i>spinatostellifera</i>	„ A.M.N.H.	5,	vi,	p. 51
„	<i>stellivarians</i>	„ A.M.N.H.	5,	vi,	p. 50
„	<i>trigonostellata</i>	„ A.M.N.H.	5,	vi,	p. 52
<i>Hymeniacidon</i>	<i>angulata</i>	A.M.N.H.	5,	ix,	p. 352
„	<i>Bucklandi</i>	A.M.N.H.	4,	xvi,	p. 199
„	<i>carcosa</i>	A.M.N.H.	5,	ix,	p. 353
„	<i>macilenta</i>	A.M.N.H.	4,	vii,	p. 276
		A.M.N.H.	4,	xvi,	p. 197
„	<i>plumosa</i>	Midland Naturalist,	vol. iii,		p. 194
„	<i>pulvinatus</i>	A.M.N.H.	5,	ix,	p. 350
„	<i>sanguinea</i>	A.M.N.H.	4,	xvi,	p. 197
		Midland Naturalist,	vol. iii,		p. 195
„	<i>suberia</i>	Midland Naturalist,	vol. iii,		p. 195
<i>Hymenaphia</i>	<i>microcionides</i>	Carter A.M.N.H.	4,	xviii,	p. 390
„	<i>spiniglobata</i>	„ A.M.N.H.	5,	iii,	p. 301
„	<i>stellifera</i>	A.M.N.H.	4,	xvi,	p. 195
„	<i>vermiculata</i>	A.M.N.H.	4,	xvi,	p. 196
„	„ <i>erecta</i>	Carter A.M.N.H.	4,	xviii,	p. 307
„	<i>verticillata</i>	A.M.N.H.	4,	xvi,	p. 198
		A.M.N.H.	4,	xviii,	p. 321
<i>Hymenaphia</i>	<i>clavata</i>	A.M.N.H.	5,	vi,	p. 46
„	<i>eruca</i>	Carter A.M.N.H.	5,	vi,	p. 46
		A.M.N.H.	5,	vii,	p. 368
„	<i>unispiculum</i>	„ A.M.N.H.	5,	vi,	p. 45
„	<i>vermiculata</i> var. <i>erecta</i>	Carter A.M.N.H.	5,	vi,	p. 46
<i>Hypograntia</i>	<i>extusarticulata</i>	Carter A.M.N.H.	5,	xviii,	p. 43
„	<i>hirsuta</i>	„ A.M.N.H.	5,	xviii,	p. 41
„	<i>infrequens</i>	„ A.M.N.H.	5,	xviii,	p. 39
„	<i>intusarticulata</i>	„ A.M.N.H.	5,	xviii,	p. 45
„	<i>medioarticulata</i>	„ A.M.N.H.	5,	xviii,	p. 46
„	<i>sacca</i>	A.M.N.H.	5,	xviii,	p. 42
<i>Ianthella</i> ( <i>flabelliformis</i> )		A.M.N.H.	4,	xvi,	p. 191
<i>Iphiteon</i>	<i>panicea</i>	A.M.N.H.	4,	xii,	p. 357
<i>Isodictya</i>	<i>mirabilis</i>	A.M.N.H.	4,	xvi,	p. 196
„	<i>Normani</i>	Midland Naturalist,	vol. iii,		p. 194

<i>Isodictya rosea</i>		A.M.N.H.	4,	xvi,	p. 196
		Phil. Trans. Roy. Soc.,	vol. clxviii,	p. 286	
„ <i>simulans</i> var. <i>cancellata</i>		Carter	Jour. Linn. Soc.,	vol. xxi,	p. 69
„ „		„	sub. var. <i>albida</i>		
		Carter	Jour. Linn. Soc.,	vol. xxi,	p. 69
„ „		„	sub. var. <i>fusca</i>		
		Carter	Jour. Linn. Soc.,	vol. xxi,	p. 69
„ „ „ <i>incrustans</i>		„	Jour. Linn. Soc.,	vol. xxi,	p. 70
„ „ „ <i>tubuloramosa</i>		„	Jour. Linn. Soc.,	vol. xxi,	p. 70
„ <i>spinispiculum</i>		„	A.M.N.H.	4,	xviii, p. 310
„ <i>varians</i>			A.M.N.H.	4,	xvi, p. 196
<i>Kaliopsis cidaris</i>			A.M.N.H.	4,	xii, p. 438
			A.M.N.H.	4,	xii, p. 441
<i>Labaria hemisphærica</i>			A.M.N.H.	4,	xi, p. 275
			A.M.N.H.	4,	xii, p. 362
			A.M.N.H.	4,	xii, p. 373
			A.M.N.H.	4,	xvi, p. 200
<i>Lacinia stellifica</i>			A.M.N.H.	5,	viii, p. 249
<i>Latruncula corticata</i>	Carter		A.M.N.H.	5,	iii, p. 298
<i>Latrunculia corticata</i>	„		A.M.N.H.	5,	viii, p. 252
„			A.M.N.H.	5,	ix, p. 355
„ <i>cratera</i>			A.M.N.H.	4,	xviii, p. 396
„ <i>purpurea</i>	Carter		A.M.N.H.	5,	vii, p. 380
<i>Leiodermatium lynceus</i>			A.M.N.H.	4,	xii, p. 439
„ <i>ramosum</i>			A.M.N.H.	4,	xii, p. 439
<i>Lelapia australis</i>			A.M.N.H.	5,	xviii, p. 138
			A.M.N.H.	5,	xviii, p. 148
<i>Leucaltis floridana</i> var. <i>australiensis</i>					
	Carter		A.M.N.H.	5,	xviii, p. 145
<i>Leucetta clathrata</i>	„		A.M.N.H.	5,	xi, p. 33
<i>Leuconia compacta</i>	„		A.M.N.H.	5,	xviii, p. 144
„ <i>echinata</i>	„		A.M.N.H.	5,	xviii, p. 129
„ <i>erinaceus</i>	„		A.M.N.H.	5,	xviii, p. 130
„ <i>fistulosa</i> var. <i>australiensis</i>					
	Carter		A.M.N.H.	5,	xviii, p. 127
„ <i>Johnstonii</i>	„		A.M.N.H.	4,	viii, p. 3
„ „ var. <i>australiensis</i>	„		A.M.N.H.	5,	xviii, p. 133
„ <i>hispida</i>	„		A.M.N.H.	5,	xviii, p. 128
„ <i>lobata</i>	„		A.M.N.H.	5,	xviii, p. 143
„ <i>multifida</i>	„		A.M.N.H.	5,	xviii, p. 141
„ <i>nivea</i> var. <i>australiensis</i>	„		A.M.N.H.	5,	xviii, p. 131
<i>Leucophlæa massalis</i>	„		A.M.N.H.	5,	xvi, p. 366
<i>Leucophlæus compressus</i>	„		A.M.N.H.	5,	xii, p. 324
„ <i>massalis</i>	„		A.M.N.H.	5,	xii, p. 323
<i>Leucosolenia contorta</i>		Midland Naturalist,	vol. iii,	p. 195	



<i>Leucosolenia coriacea</i>		A.M.N.H.	5,	xiv, p.	17
„ <i>lacunosa</i> var. <i>Hillieri</i>	Carter	A.M.N.H.	5,	xiv, p.	24
<i>Lithospongites Kittonii</i>	„	A.M.N.H.	4,	xii, p.	439
<i>Lubomirskia bacillifera</i>		A.M.N.H.	5,	vii, p.	103
„ <i>baicalensis</i>		A.M.N.H.	5,	vii, p.	103
„ <i>papyracea</i>		A.M.N.H.	5,	vii, p.	104
<i>Luffaria cauliformis</i>	Carter	A.M.N.H.	5,	ix, p.	268
„ „ var. <i>elongo-reticulata</i>	„	A.M.N.H.	5,	ix, p.	269
„ „ „ <i>rufa</i>	„	A.M.N.H.	5,	ix, p.	269
„ <i>digitata</i>	„	A.M.N.H.	5,	xv, p.	201
„ <i>fistularis</i>		A.M.N.H.	4,	xvi, p.	191
„ <i>ramosa</i>	Carter	A.M.N.H.	4,	xvi, p.	191
„ <i>sessilis</i>	„	A.M.N.H.	4,	xvi, p.	191
<i>MacAndrewia azorica</i>		A.M.N.H.	4,	xii, p.	438
		A.M.N.H.	4,	xii, p.	441
		A.M.N.H.	4,	xvi, p.	199
<i>Macandrewia azorica</i>		A.M.N.H.	4,	xviii, p.	464
<i>Melonanchora elliptica</i>	Carter	A.M.N.H.	4,	xiv, p.	212
<i>Meyenia anonyma</i>	„	A.M.N.H.	5,	vii, p.	95
„ <i>Baileyi</i>		A.M.N.H.	5,	vii, p.	95
„ <i>Capewelli</i>		A.M.N.H.	5,	vii, p.	93
„ <i>fluviatilis</i>		A.M.N.H.	5,	vii, p.	92
„ „ var. <i>augustibirotulata</i>	Carter	A.M.N.H.	5,	xv, p.	454
„ „ „ <i>gracilis</i>	„	A.M.N.H.	5,	xvi, p.	180
„ <i>gregaria</i>		A.M.N.H.	5,	vii, p.	91
„ <i>Leidii</i>		A.M.N.H.	5,	vii, p.	91
„ <i>plumosa</i>	Carter	A.M.N.H.	5,	vii, p.	94
<i>Meyerina clavæformis</i>		A.M.N.H.	4,	xvi, p.	200
„ <i>claviformis</i>		A.M.N.H.	4,	x, p.	110
		A.M.N.H.	4,	xii, p.	362
		A.M.N.H.	4,	xii, p.	372
<i>Microciona acerato-obtusa</i>	Carter	Jour. Linn. Soc.,	vol. xxi, p.		67
„ <i>affinis</i>	„	A.M.N.H.	5,	vi, p.	41
„ <i>armata</i>		A.M.N.H.	4,	xiv, p.	457
„		A.M.N.H.	5,	vi, p.	40
„ <i>atrosanguinea</i>		A.M.N.H.	4,	xvi, p.	195
		A.M.N.H.	5,	vi, p.	40
„ <i>bulboretorta</i>	Carter	A.M.N.H.	5,	vi, p.	41
„ <i>curvispiculifera</i>	„	A.M.N.H.	5,	vi, p.	43
„ <i>fascispiculifera</i>	„	A.M.N.H.	5,	vi, p.	44
„ <i>intexta</i>	„	A.M.N.H.	4,	xviii, p.	238
„ <i>jeusculum</i>		A.M.N.H.	4,	xviii, p.	237
„ <i>longispiculum</i>	Carter	A.M.N.H.	4,	xviii, p.	237
„ <i>plana</i>	„	A.M.N.H.	4,	xviii, p.	238
„ <i>plumosa</i>	Midland Naturalist,	vol. iii, p.			194

<i>Microciona pusilla</i>	Carter	A.M.N.H.	4, xviii, p. 239
„ <i>quadri radiata</i>	„	A.M.N.H.	5, vi, p. 42
„ <i>quinqueradiata</i>	„	A.M.N.H.	5, vi, p. 43
<i>Monanchora clathrata</i>	„	A.M.N.H.	5, xi, p. 369
<i>Monilites haldonensis</i>	„	A.M.N.H.	4, vii, p. 132
„ <i>quadri radiatus</i>	„	A.M.N.H.	4, vii, p. 132
<i>Myliusia callocyathes</i>		A.M.N.H.	4, xii, p. 358
„ <i>Grayi</i>		A.M.N.H.	4, xii, p. 359
		A.M.N.H.	4, xix, p. 126
<i>Ophiraphidites tortuosus</i>	Carter	A.M.N.H.	4, xviii, p. 458
<i>Osculina polystomella</i>		A.M.N.H.	5, viii, p. 251
<i>Pachastrella abyssii</i>		A.M.N.H.	4, xvi, p. 199
„ <i>amygdaloides</i>	Carter	A.M.N.H.	4, xviii, p. 406
„ <i>geodioides</i>	„	A.M.N.H.	4, xviii, p. 407
„ <i>intexta</i>	„	A.M.N.H.	4, xviii, p. 409
„ <i>parasitica</i>	„	A.M.N.H.	4, xviii, p. 410
		A.M.N.H.	5, vi, p. 60
„ <i>stellettodes</i>	„	A.M.N.H.	5, xv, p. 403
<i>Pachymatisma Johnstonia</i>		A.M.N.H.	4, iv, p. 8
„ <i>Johnstonii</i>		A.M.N.H.	4, xvi, p. 198
<i>Paraspongia laxa</i>	Carter	A.M.N.H.	5, xv, p. 318
<i>Parmula Batesii</i>		A.M.N.H.	5, vii, p. 99
„ <i>Brownii</i>		A.M.N.H.	5, vii, p. 99
<i>Patuloscula procumbens</i>	Carter	A.M.N.H.	5, ix, p. 365
		A.M.N.H.	5, xvi, p. 286
„ „ <i>var. flabelliformis</i>	„	A.M.N.H.	5, xvi, p. 286
<i>Periphragella Elisæ</i>		A.M.N.H.	5, xv, p. 394
<i>Phakellia brassicata</i>	Carter	A.M.N.H.	5, xvi, p. 363
„ <i>crassa</i>	„	A.M.N.H.	5, xvi, p. 363
„ <i>flabellata</i>	„	A.M.N.H.	5, xvi, p. 363
„ <i>infundibuliformis</i>		A.M.N.H.	4, xviii, p. 240
„ <i>papyracea</i>	Carter	A.M.N.H.	5, xviii, p. 379
„ <i>ramosa</i>	„	A.M.N.H.	5, xii, p. 318
„ <i>ventilabrum</i>		A.M.N.H.	4, xvi, p. 196
		A.M.N.H.	4, xviii, p. 239
„ <i>villosa</i>	Carter	A.M.N.H.	5, xviii, p. 379
<i>Pheronema Annæ</i>		A.M.N.H.	4, xii, p. 362
		A.M.N.H.	4, xii, p. 372
„ <i>Grayi</i>		A.M.N.H.	4, xii, p. 362
		A.M.N.H.	4, xii, p. 372
<i>Phlæodictyon birotuliferum</i>	Carter	A.M.N.H.	5, xviii, p. 447
„ <i>coherens</i>	„	A.M.N.H.	5, xviii, p. 446
„ <i>hondurasensis</i>	„	A.M.N.H.	5, x, p. 122
„ <i>isodictyiforme</i>	„	A.M.N.H.	5, x, p. 122

<i>Phlæodictyon niduliformis</i>	Carter	A.M.N.H.	5,	x,	p. 123
„ <i>singaporense</i>	„	A.M.N.H.	5,	xii,	p. 326
„ <i>vasiformis</i>	„	A.M.N.H.	5,	x,	p. 123
<i>Phorbas amaranthus</i>		A.M.N.H.	5,	ix,	p. 287
„ <i>anchorata</i>	Carter	A.M.N.H.	5,	ix,	p. 288
„ <i>fibulata</i>	„	A.M.N.H.	5,	ix,	p. 288
<i>Phycopsis fruticulosa</i>	„	A.M.N.H.	5,	xii,	p. 320
„ <i>hirsuta</i>	„	A.M.N.H.	5,	xii,	p. 319
<i>Placospongia melobesioides</i>		A.M.N.H.	4,	xvi,	p. 198
		A.M.N.H.	5,	vi,	p. 53
		A.M.N.H.	5,	ix,	p. 357
<i>Plumohalichondria arenacea</i>	Carter	A.M.N.H.	5,	xvi,	p. 367
„ <i>mammillata</i>	„	A.M.N.H.	5,	xvi,	p. 355
„ <i>microcionides</i>	„	A.M.N.H.	4,	xviii,	p. 236
„ <i>plumosa</i> var. <i>purpurea</i>	„	A.M.N.H.	5,	xviii,	p. 376
<i>Podospongia Lovenii</i>		A.M.N.H.	4,	xviii,	p. 396
<i>Polymastia bicolor</i>	Carter	A.M.N.H.	5,	xvii,	p. 119
„ „ var. <i>crassa</i>	„	A.M.N.H.	5,	xvii,	p. 120
„ „ „ <i>glomerata</i>	„	A.M.N.H.	5,	xvii,	p. 119
„ <i>massalis</i>	„	A.M.N.H.	5,	xvii,	p. 121
„ <i>stipitata</i>	„	A.M.N.H.	4,	xviii,	p. 393
<i>Pseudoceratina crateriformis</i>	„	A.M.N.H.	5,	xv,	p. 205
„ <i>durissima</i>	„	A.M.N.H.	5,	xv,	p. 204
„ <i>typica</i>	„	A.M.N.H.	5,	xviii,	p. 287
<i>Pseudoesperia enigmatica</i>	„	A.M.N.H.	5,	xviii,	p. 455
<i>Pseudohalichondria clavilobata</i>	„	A.M.N.H.	5,	xviii,	p. 454
<i>Ptilocaulis gracilis</i>	„	A.M.N.H.	5,	xii,	p. 321
„ <i>rigidus</i>	„	A.M.N.H.	5,	xii,	p. 322
<i>Pulvillus Thomsonii</i>	„	A.M.N.H.	5,	i,	p. 137
<i>Purisiphonia Clarkei</i>		A.M.N.H.	5,	i,	p. 376
<i>Racodiscula asteroides</i>	Carter	A.M.N.H.	5,	xv,	p. 400
<i>Radiella spinularia</i>		A.M.N.H.	4,	xvi,	p. 198
<i>Raphiophora patera</i>		A.M.N.H.	4,	xvi,	p. 197
<i>Raphyrus Griffithsii</i>		A.M.N.H.	4,	xvi,	p. 197
		P. Acad. Nat. Sci., Philad.,	1884,	p.	207
„ „ var. <i>ramotubulata</i>	Carter				
		P. Acad. Nat. Sci., Philad.,	1884,	p.	207
<i>Reniera calyx</i>		A.M.N.H.	4,	xvi,	p. 196
		A.M.N.H.	5,	x,	p. 124
„ <i>crassa</i>	Carter	A.M.N.H.	4,	xviii,	p. 312
„ <i>crateriformis</i>	„	A.M.N.H.	5,	x,	p. 115
		Jour. Linn. Soc.,	vol. xxi,	p.	71
„ <i>digitata</i>		A.M.N.H.	5,	ix,	p. 287
		P. Acad. Nat. Sci., Philad.,	1884,	p.	205
„ <i>fibulata</i>		A.M.N.H.	4,	xiv,	p. 250
		A.M.N.H.	4,	xvi,	p. 196
		A.M.N.H.	5,	ix,	p. 284



<i>Reniera fibulifera</i>		A.M.N.H.	5,	vi,	p. 48
„ <i>vasiformis</i>	Carter	A.M.N.H.	5,	xviii,	p. 445
<i>Rhaphidhistia spectabilis</i>	„	A.M.N.H.	5,	iii,	p. 300
		A.M.N.H.	5,	ix,	p. 354
„ <i>vermiculata</i>	„	A.M.N.H.	5,	i,	p. 140
<i>Rhaphidotheca affinis</i>	„	J. R. Micro. Soc.,	vol. ii,		p. 497
„ <i>Marshall-Hallii</i>		J. R. Micro. Soc.,	vol. ii,		p. 498
<i>Rhaphiodesma floreum</i>		Midland Naturalist,	vol. iii,		p. 195
<i>Rhaphiophora patera</i>		A.M.N.H.	5,	ix,	p. 349
<i>Rhaphyrus Griffithsii</i>		A.M.N.H.	5,	ix,	p. 349
<i>Rhizochalina carotta</i>		A.M.N.H.	5,	x,	p. 121
„ <i>oleracea</i>		A.M.N.H.	5,	x,	p. 121
<i>Rinalda uberrima</i>		A.M.N.H.	4,	xvi,	p. 198
<i>Rossella antarctica</i>	Carter	A.M.N.H.	4,	ix,	p. 414
		A.M.N.H.	4,	xii,	p. 361
		A.M.N.H.	4,	xv,	p. 114
„ <i>philippinensis</i>		A.M.N.H.	4,	xii,	p. 361
		A.M.N.H.	4,	xii,	p. 370
„ <i>philippensis</i>		A.M.N.H.	4,	xv,	p. 118
„ <i>velata</i>		A.M.N.H.	4,	xii,	p. 361
		A.M.N.H.	4,	xii,	p. 370
		A.M.N.H.	4,	xv,	p. 120
<i>Samus anonyma</i>		A.M.N.H.	5,	iii,	p. 350
		A.M.N.H.	5,	viii,	p. 250
„ <i>anonymus</i>		A.M.N.H.	5,	vi,	p. 59
„ <i>complicatus</i>	Carter	A.M.N.H.	5,	vi,	p. 61
„ <i>parasiticus</i>	„	A.M.N.H.	5,	vi,	p. 60
„ <i>simplex</i>	„	A.M.N.H.	5,	vi,	p. 60
<i>Sarcocornea nodosa</i>	„	A.M.N.H.	5,	xv,	p. 214
<i>Sarcomella medusa</i>		A.M.N.H.	5,	viii,	p. 251
<i>Sarcotragus foetidus</i>		A.M.N.H.	4,	xvi,	p. 193
<i>Schmidtia clavata</i>		A.M.N.H.	4,	xvi,	p. 196
<i>Semisuberites arctica</i>	Carter	A.M.N.H.	4,	xx,	p. 39
<i>Spirastrella cunctatrix</i>		A.M.N.H.	5,	ix,	p. 351
		A.M.N.H.	5,	xvii,	p. 113
		Jour. Linn. Soc.,	vol. xxi,		p. 75
„ „ <i>var. porcata</i>	Carter	A.M.N.H.	5,	xvii,	p. 115
„ „ <i>robusta</i>	„	A.M.N.H.	5,	xvii,	p. 114
<i>Spongelia avara</i>	P. Acad. Nat. Sci.,	Philad.,	1884,		p. 203
„ <i>incrustans</i>		A.M.N.H.	4,	xvi,	p. 193
„ <i>pallescent</i>		A.M.N.H.	4,	xviii,	p. 232
„ <i>stellidermata</i>	Carter	A.M.N.H.	5,	xv,	p. 219
<i>Spongia aculeata</i>		A.M.N.H.	4,	xvi,	p. 194
„ <i>agaricina</i>		A.M.N.H.	4,	xvi,	p. 194
„ <i>cancellata</i>		A.M.N.H.	4,	xvi,	p. 194
„ <i>clavata</i>		A.M.N.H.	4,	xvi,	p. 196

<i>Spongia compressa</i>		A.M.N.H.	4,	xvi,	p. 194
„ <i>coriacea</i>		A.M.N.H.	5,	xiv,	p. 17
„ <i>Dysoni</i>		A.M.N.H.	5,	ix,	p. 350
„ <i>muricata</i>		A.M.N.H.	4,	xvi,	p. 194-5
„ <i>officinalis</i>		A.M.N.H.	4,	xvi,	p. 192
		A.M.N.H.	4,	xviii,	p. 231
		A.M.N.H.	5,	ix,	p. 272
		Jour. Linn. Soc.,	vol. xxi,	p.	63
„ <i>othahetica</i>		A.M.N.H.	4,	xvi,	p. 193
„ <i>villosa</i>		A.M.N.H.	4,	xvi,	p. 194
<i>Spongilla alba</i>	Carter	A.M.N.H.	2,	iv,	p. 83
		A.M.N.H.	2,	xx,	p. 21
		A.M.N.H.	5,	vii,	p. 88
„ <i>bombayensis</i>	„	A.M.N.H.	5,	x,	p. 369
„ <i>Carteri</i>		A.M.N.H.	5,	vii,	p. 86
„ <i>cerebellata</i>		A.M.N.H.	5,	vii,	p. 88
„ <i>cinerea</i>	Carter	A.M.N.H.	2,	iv,	p. 82
		A.M.N.H.	5,	vii,	p. 263
„ <i>erinaceus</i>		A.M.N.H.	5,	vii,	p. 91
„ <i>fluviatilis</i>		A.M.N.H.	4,	xvi,	p. 199
		A.M.N.H.	5,	vii,	p. 93
„ „ <i>var. Parfitti</i>	Carter	A.M.N.H.	5,	vii,	p. 93
„ <i>fragilis</i>		A.M.N.H.	5,	xv,	p. 18
„ <i>friabilis</i>		A.M.N.H.	2,	iv,	p. 83
„ <i>lacustris</i>		A.M.N.H.	5,	vii,	p. 87
„ <i>Lordii</i>		A.M.N.H.	5,	vii,	p. 89
„ <i>Mackayi</i>	Carter	A.M.N.H.	5,	xv,	p. 19
„ <i>Meyeni</i>	„	A.M.N.H.	2,	iv,	p. 84
		A.M.N.H.	5,	vii,	p. 93
„ „ <i>var. Parfitti</i>	„	A.M.N.H.	4,	i,	p. 247
„ <i>multiforis</i>	„	A.M.N.H.	5,	vii,	p. 88
„ <i>navicella</i>	„	A.M.N.H.	5,	vii,	p. 87
„ <i>nitens</i>	„	A.M.N.H.	5,	vii,	p. 89
„ <i>paupercula</i>		A.M.N.H.	5,	vii,	p. 86
„ <i>plumosa</i>	Carter	A.M.N.H.	2,	iv,	p. 85
„ <i>sceptrifera</i>		A.M.N.H.	5,	vii,	p. 93
<i>Spongionella Holdsworthii</i>		A.M.N.H.	4,	xvi,	p. 193
<i>Stelletta æruginosa</i>	Carter	A.M.N.H.	5,	xvii,	p. 123
„ <i>aspera</i>	„	A.M.N.H.	4,	vii,	p. 7
		A.M.N.H.	4,	xvi,	p. 198
„ <i>australiensis</i>	„	A.M.N.H.	5,	xi,	p. 350
„ <i>bacillifera</i>	„	Jour. Linn. Soc.,	vol. xxi,	p.	78
„ „ <i>var. robusta</i>	„	A.M.N.H.	5,	xi,	p. 351
		A.M.N.H.	5,	xvii,	p. 123
„ <i>crassicula</i>	„	A.M.N.H.	5,	vii,	p. 371
„ <i>discophora</i>		A.M.N.H.	4,	xvi,	p. 198
„ <i>euastrum</i>		A.M.N.H.	4,	xvi,	p. 198

		A.M.N.H.	5,	vi,	p. 135
Stelletta	geodides	Carter	A.M.N.H.	5,	xvii, p. 125
"	globostellata	"	A.M.N.H.	5,	xi, p. 353
"	Grubii	"	A.M.N.H.	4,	xvi, p. 198
"	lactea	Carter	A.M.N.H.	4,	vii, p. 9
			A.M.N.H.	4,	xvi, p. 198
"	mammilliformis	"	A.M.N.H.	5,	xvii, p. 124
"	ochracea	"	A.M.N.H.	5,	xviii, p. 458
"	pachastrelloides	"	A.M.N.H.	4,	xviii, p. 403
"	reticulata	"	A.M.N.H.	5,	xi, p. 352
"	tethyopsis	"	A.M.N.H.	5,	vi, p. 137
Stellettinopsis	coriacea	"	A.M.N.H.	5,	xvii, p. 126
"	corticata	"	A.M.N.H.	5,	iii, p. 348
"	lutea	"	A.M.N.H.	5,	xviii, p. 459
"	purpurea	"	A.M.N.H.	5,	xviii, p. 459
"	simplex	"	A.M.N.H.	5,	iii, p. 349
			A.M.N.H.	5,	xvii, p. 126
"	tuberculata	"	A.M.N.H.	5,	xvii, p. 126
Stelletites	haldonensis	"	A.M.N.H.	4,	vii, p. 129
Stelospongi	cribrocrusta	"	A.M.N.H.	5,	xviii, p. 371
"	flabelliformis	"	A.M.N.H.	5,	xv, p. 305
"	levis	"	A.M.N.H.	5,	xv, p. 303
"	tuberculatus	Carter	A.M.N.H.	5,	xv, p. 306
Suberites	angulospiculatus	"	A.M.N.H.	5,	iii, p. 346
"	antarcticus	"	A.M.N.H.	5,	ix, p. 350
"	appendiculatus	"	A.M.N.H.	4,	xvi, p. 198
"	biceps	Carter	A.M.N.H.	5,	xvii, p. 117
"	capensis	"	A.M.N.H.	5,	ix, p. 350
"	carnosa	Jour. Linn. Soc.,	vol. xxi,	p.	74
"	carnosus	"	A.M.N.H.	5,	xviii, p. 456
"	coronarius	Carter	A.M.N.H.	5,	ix, p. 352
		Jour. Linn. Soc.,	vol. xxi,	p.	74
"	domuncula	"	A.M.N.H.	4,	xvi, p. 197
		"	A.M.N.H.	5,	ix, p. 353
"	fistulatus	Carter	A.M.N.H.	5,	vi, p. 53
		"	A.M.N.H.	5,	vii, p. 370
		"	A.M.N.H.	5,	ix, p. 354
"	flabellatus	"	A.M.N.H.	5,	xvii, p. 117
"	fuliginosus	"	A.M.N.H.	5,	iii, p. 347
		"	A.M.N.H.	5,	ix, p. 354
"	globosa	"	A.M.N.H.	5,	xvii, p. 116
"	insignis	"	A.M.N.H.	5,	xvii, p. 118
"	massa	"	A.M.N.H.	4,	xviii, p. 391
		"	A.M.N.H.	5,	ix, p. 351
"	montalbidus	Carter	A.M.N.H.	5,	vi, p. 256
		"	A.M.N.H.	5,	ix, p. 353
"	montiniger	"	A.M.N.H.	5,	vi, p. 256



		A.M.N.H.	5,	ix,	p. 353
Suberites parasitica	Carter	A.M.N.H.	5,	xvii,	p. 119
„ spinispirulifer	„	A.M.N.H.	5,	iii,	p. 345
„ spinispirulifera	„	A.M.N.H.	5,	xviii,	p. 456
„ stelligerus	„	A.M.N.H.	5,	x,	p. 124
„ trincomaliensis		Jour. Linn. Soc.,	vol. xxi,	p.	74
„ vestigium	Carter	A.M.N.H.	5,	vi,	p. 52
„ Wilsoni	„	A.M.N.H.	5,	xv,	p. 113
		A.M.N.H.	5,	xvii,	p. 116
„ „ var. albidus	„	A.M.N.H.	5,	xvii,	p. 116
Sycandra Ramsayi		A.M.N.H.	5,	xviii,	p. 35
Sycon raphanus		Midland Naturalist,	vol. iii,	p.	195
Sycothamnus aleyoncellum		A.M.N.H.	5,	xviii,	p. 38
Sympagella nux		A.M.N.H.	4,	xii,	p. 361
		A.M.N.H.	4,	xii,	p. 368
Taonura flabelliformis	Carter	A.M.N.H.	5,	x,	p. 108
Tedania digitata		A.M.N.H.	5,	xvii,	p. 52
„ „ var. verrucosa	Carter	A.M.N.H.	5,	xvii,	p. 53
Teichonella labyrinthica	„	A.M.N.H.	5,	ii,	p. 37
		A.M.N.H.	5,	xviii,	p. 38
„ prolifera	„	A.M.N.H.	5,	ii,	p. 35
		A.M.N.H.	5,	xviii,	p. 146
Terpios cœrulea	„	A.M.N.H.	5,	ix,	p. 355
„ fugax		A.M.N.H.	5,	ix,	p. 355
Tethea muricata		A.M.N.H.	5,	ii,	p. 174
Tethya antarctica	Carter	A.M.N.H.	4,	ix,	p. 412
	Phil. Trans. Roy. Soc.,	vol. clxviii,	p.	287	
„ arabica	Carter	A.M.N.H.	4,	iv,	p. 3
		A.M.N.H.	4,	xvi,	p. 198
„ atropurpurea	„	A.M.N.H.	4,	vi,	p. 176
		A.M.N.H.	4,	xvi,	p. 198
„ casula	„	A.M.N.H.	4,	viii,	p. 99
		A.M.N.H.	4,	xvi,	p. 198
„ Cliftoni		A.M.N.H.	5,	xvii,	p. 122
„ cranium		A.M.N.H.	4,	xvi,	p. 198
„ „ var. abyssorum	Carter	A.M.N.H.	4,	xviii,	p. 405
„ „ „ australiensis	„	A.M.N.H.	5,	xvii,	p. 127
„ „ „ infrequens	„	A.M.N.H.	4,	xviii,	p. 405
„ „ „ robusta	„	Jour. Linn. Soc.,	vol. xxi,	p.	79
„ dactyloidea	„	A.M.N.H.	4,	iii,	p. 15
		A.M.N.H.	4,	ix,	p. 82
		A.M.N.H.	4,	xvi,	p. 198
		Jour. Linn. Soc.,	vol. xxi,	p.	79
„ lyncurium		A.M.N.H.	4,	iv,	p. 7
		A.M.N.H.	4,	xvi,	p. 198
	P. Acad. Nat. Sci.,	Philad.,	1884,	p.	208

<i>Tethya merguiensis</i>	Carter	A.M.N.H.	5,	xi,	p. 366
					Jour. Linn. Soc., vol. xxi, p. 80
„ <i>sphærica</i>		A.M.N.H.	5,	ix,	p. 360
„ <i>stipitata</i>	Carter	A.M.N.H.	5,	xviii,	p. 460
„ <i>zetlandica</i>	„	A.M.N.H.	4,	ix,	p. 417
<i>Tetilla polyura</i>		A.M.N.H.	4,	xvi,	p. 198
<i>Textiliforma foliata</i>	Carter	A.M.N.H.	5,	xvi,	p. 288
<i>Thalysias massalis</i>	„	A.M.N.H.	5,	xvii,	p. 50
„ <i>subtriangularis</i>		A.M.N.H.	4,	xvi,	p. 196
					Phil. Trans. Roy. Soc., vol. clxviii, p. 287
„ <i>tener</i>	Carter	Jour. Linn. Soc.,	vol. xxi,	p.	70
<i>Thecophora semisuberites</i>		A.M.N.H.	4,	xvi,	p. 198
<i>Thenia fenestrata</i>		A.M.N.H.	5,	xi,	p. 362
„ <i>muricata</i>		A.M.N.H.	5,	xi,	p. 362
„ <i>Wallichii</i>		A.M.N.H.	5,	xi,	p. 362
<i>Theonella Swinhoei</i>		A.M.N.H.	4,	xii,	p. 438
		A.M.N.H.	4,	xii,	p. 441
<i>Thoosa socialis</i>	Carter	A.M.N.H.	5,	vi,	p. 56
		A.M.N.H.	5,	vii,	p. 370
<i>Tisiphonia annulata</i>	„	A.M.N.H.	5,	vi,	p. 140
„ <i>nana</i>	„	A.M.N.H.	5,	vi,	p. 138
„ <i>penetrans</i>	„	A.M.N.H.	5,	vi,	p. 141
<i>Trachya durissima</i>	„	A.M.N.H.	5,	ix,	p. 357
„ <i>globosa</i>	„	A.M.N.H.	5,	xvii,	p. 121
„ „ <i>var. rugosa</i>	„	A.M.N.H.	5,	xviii,	p. 457
„ <i>horrida</i>	„	A.M.N.H.	5,	xviii,	p. 457
„ <i>pernucleata</i>	„	A.M.N.H.	4,	vi,	p. 178
		A.M.N.H.	4,	xvi,	p. 198
<i>Trachycladus lævispirulifer</i>	„	A.M.N.H.	5,	iii,	p. 343
		A.M.N.H.	5,	xvi,	p. 357
<i>Trichogypsia villosa</i>	„	A.M.N.H.	4,	viii,	p. 1
<i>Trichostemma hemisphericum</i>					Midland Naturalist, vol. iii, p. 195
<i>Trikentrion læve</i>	Carter	A.M.N.H.	5,	iii,	p. 294
		A.M.N.H.	5,	x,	p. 114
„ <i>muricatum</i>		A.M.N.H.	5,	iii,	p. 293
<i>Tuba acapulcaensis</i>	Carter	A.M.N.H.	5,	ix,	p. 279
„ <i>armigera</i>		A.M.N.H.	4,	xvi,	p. 194
		A.M.N.H.	5,	ix,	p. 278
„ <i>digitalis</i>		A.M.N.H.	4,	xvi,	p. 194
		A.M.N.H.	5,	ix,	p. 277
„ <i>Eschrichtii</i>		A.M.N.H.	5,	ix,	p. 365
„ <i>lineata</i>		A.M.N.H.	5,	ix,	p. 277
„ <i>longissima</i>		A.M.N.H.	4,	xvi,	p. 194
„ <i>plicifera</i>		A.M.N.H.	4,	xvi,	p. 194
		A.M.N.H.	5,	ix,	p. 365
„ <i>poculum</i>	Carter	A.M.N.H.	5,	xv,	p. 403
„ <i>sororia</i>		A.M.N.H.	4,	xvi,	p. 194

	P. Acad. Nat. Sci., Philad., 1884, p. 204		
<i>Tuba tortolensis</i>	A.M.N.H.	4,	xvi, p. 194
<i>Tubella paulula</i>	A.M.N.H.	5,	vii, p. 96
„ <i>recurvata</i>	A.M.N.H.	5,	vii, p. 98
„ <i>reticulata</i>	A.M.N.H.	5,	vii, p. 97
„ <i>spinata</i>	Carter	A.M.N.H.	5, vii, p. 96
<i>Tubulodigitus communis</i>	„	A.M.N.H.	5, vii, p. 367
<i>Uruguaya corallioides</i>	„	A.M.N.H.	5, vii, p. 100
<i>Ute capillosa</i>	Phil. Trans. Roy. Soc.,	vol. clxviii,	p. 288
<i>Vioa Carteri</i>	A.M.N.H.	5,	ix, p. 354
„ <i>Johnstonii</i>	A.M.N.H.	4,	xvi, p. 197
	A.M.N.H.	5,	ix, p. 354
	A.M.N.H.	5,	xviii, p. 458
„ <i>Schmidtii</i>	A.M.N.H.	5,	ix, p. 354
<i>Verticillites anastomans</i>	A.M.N.H.	5,	xiv, p. 27
„ <i>helvetica</i>	A.M.N.H.	5,	xiv, p. 27
<i>Wilsonella australiensis</i>	Carter	A.M.N.H.	5, xvi, p. 366
„ <i>echinonematissima</i>	„	A.M.N.H.	5, xix, p. 210
<i>Xenospongia patelliformis</i>	A.M.N.H.	4,	xvi, p. 198
	A.M.N.H.	5,	ix, p. 357

## EXPLANATION OF ABBREVIATIONS.

A.M.N.H.—Annals and Magazine of Natural History.

J.R. Micro. Soc.—Journal of the Royal Microscopical Society.

Jour. Linn. Soc.—Journal of the Linnean Society of London—  
Zoology.

P. Acad. Nat. Sci., Philad.—Proceedings of the Academy of  
Natural Sciences of Philadelphia.

Phil. Trans. Roy. Soc.—Philosophical Transactions of the  
Royal Society of London.



MELBOURNE :

STILLWELL AND CO., PRINTERS,

195A (78) COLLINS ST. (EAST).












SMITHSONIAN INSTITUTION LIBRARIES



3 9088 00088 4163